

1. Preamble..... 2

Using a profile with access rights..... 2

Subsystem..... 2

Prerequisite..... 2

2. Automatic installation..... 3

Installation..... 3

3. Screen settings..... 4

End of installation..... 5

Register software keys..... 6

1. Preamble

The setup program will create 2 user profiles and 4 libraries :

CROSSEDI Translator general user profile

EXICIEL Translator user group

EX_BASE Tools and menus library

EX_TRS Translator programs library

EX_TRSDB Translator database library

EX_USER User library

Names of users and libraries can be modified at the setup start.

Note :

An IFS directory will also be created : /exiciel/crossedi

Using a profile with access rights

A user profile with special authorities is needed (*ALLOBJ *SECOFR *JOBCTL and *SPLCTL); **QSECOFR** is a good choice. ⁽¹⁾.

Subsystem

In case of a software upgrade , TBT/AES subsystem must **imperatively** be stopped
(ENDSBS CROSSEDI)

Prerequisite

Translator program can be installed on every iSerie system with at least **V5R3M0** operating system release.

¹⁰ The setup process is stopped if any access right issues are encountered.

2. Automatic installation

Installation

2.1.1. Restore setup library

```
RSTLIB SAVLIB(EX_SETUP)  
DEV(*SAVF)  
SAVF(IPLSP/TBRAES)
```

2.1.2. Initialization

The goal of this step is to create objects needed by the translation software.

```
CHGCURLIB EX_SETUP
```

if you wish to set the default language as English, create the following *Dtaara :

```
CRTDTAARA DTAARA(QTEMP/DFTLNG) TYPE(*CHAR) LEN(3) VALUE(ENG)
```

Type the following command to start the setup :

```
SETTBTAES + F4
```

3. Screen settings

```

                Setup TBT/AES EDI translator (SETTBTAES)

Type choices, press Enter.

OPTION . . . . . OPTION          *INSTALL
Admin User profile . . . . . ADMIN    EXICIEL
User profile . . . . . USER        CROSSEDI
Menu library . . . . . BASE         EX_BASE

                                                    Bottom
F3=Exit   F4=Prompt   F5=Refresh   F12=Cancel   F13=How to use this display
F24=More keys

```

Options are displayed with default values. Press ENTER.

```

                Setup TBT/AES EDI translator (SETTBTAES)

Type choices, press Enter.

OPTION . . . . . OPTION          *INSTALL
Admin User profile . . . . . ADMIN    EXICIEL
User profile . . . . . USER        CROSSEDI
Menu library . . . . . BASE         EX_BASE
User library . . . . . USERLIB      EX_USER
Trs library . . . . . TRS           EX_TRS
Trs db library . . . . . TRSDB      EX_TRSDB
Default env library . . . . . DFTENV  CROSSEDI
                                     HOME    '/exiciel/crossedi'

                                                    Bottom
F3=Exit   F4=Prompt   F5=Refresh   F12=Cancel   F13=How to use this display
F24=More keys

```

Change values if needed and press ENTER to run the setup program.

End of installation

```

Setup TBT/AES EDI translator (SETTBTAES)

Type choices, press Enter.

OPTION . . . . . OPTION          *INSTALL
Admin User profile . . . . . ADMIN    EXICIEL
User profile . . . . . USER        CROSSEDI
Menu library . . . . . BASE         EX_BASE
User library . . . . . USERLIB     EX_USER
Trs library . . . . . TRS          EX_TRS
Trs db library . . . . . TRSDB     EX_TRSDB
Default env library . . . . . DFTENV CROSSEDI
                                 HOME  '/exiciel/crossedi'

+-----+
! EXICIEL - Setup parameters.      !
! _____                      !
! eeeeeeeeeeeeeeeeeeeeeeeeeeeee   !
+-----+-----[ 100% ]-----+

F24=More keys
Check object EX_TRS/CRTSWPTBL type *CMD
    
```

After several minutes, the setup program end.

Sign off and Sign on with CROSSEDI user (default password CROSSEDI)

```

ECEMAIN                CROSS-EDI - Main menu                Système:  IPLSP

Select one of the following:

    1. Execute translation scenario.
    2. With this translation tasks

11. Translations log.
12. Translations log. (Documents)
13. Output files transfers.

15. Work with User Jobs.

20. Operations.

30. Translator parameters.

90. Sign off.

Selection or command
====>
F3=Exit  F4=Prompt  F9=Retrieve  F12=Cancel
TBT/AES - Release V1R6M3.
    
```

Type :

STRTRSJOB FILETYPE(*SYSINFO)

On the screen are displayed system values.

Send us a copy-screen to calculate a licence key

Register software keys

Type the command

EXSETPRP

```

PRP010                               Properties                               19:43:37
IPLSP                                 18/11/13
                                     Position to

Type options, press Enter.
1=Create 2=Change 3=Copy 4=Delete 5=Display

Opt Code
      Text
___ CHARSET  Default Output Character Set
___ CONTROL  Control key
___ DFTNUMFMT Default Numeric Format
___ DFTOFILNAM Default output file name
___ ENDLINEMT Default End line Format
___ GUIDEBS  Guide buffer size
___ GUIDEDPTH Guide depth search
___ KEY      Software Key
___ LCLNAME  Translator Local Name
___ OPTIONS  Options Key
___ TIME     Default time used (*GMT, *LOCAL)
___ ZERONEG  Negative zero
                                     Fin

F3=Exit  F5=Refresh  F6=New  F12=Cancel

```

Use option 2=Change to enter the key provided. (Properties KEY & OPTIONS)

Start the EX_USER/CROSSEDI subsystem, the software is installed and ready to work.

In order to bring about improvements to the TBT/400 software, IPLS reserves the right to modify some of the functions described above.

Your comments enable us continually improve the quality of our documentation, and play an important note in the updating process. Should you have any comments on this document, please inform us by stating the page numbers and line concerned, with your comments, and send to the address listed below. IPLS will use and diffuse, any or all of this information, which it judges set to benefit its customers, without any recourse on itself.

Send your comments to:

IPLS	176, Bureaux de la Colline 92210 Saint-Cloud FRANCE
Téléphone	+33 (0)1 80 41 00 60
Site de l'éditeur : www.lpls.fr	
E-mail : lpls@lpls.fr	
E-mail : Commercial@lpls.fr	
E-mail : Technic@lpls.fr	
Site du progiciel : www.tbt400.com	

If you wish an answer, do not forget to mention your name and addresses. We thank you for your collaboration.

All the quoted marks are trade marks.